

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/750,140	12/29/2000	Edward N. George	TI-31481	6785
75	690 01/12/2005		EXAMINER	
Warren Franz			TON, ANTHONY T	
Texas Instrume	nts Incorporated			
P.O. Box 655474, MS 3999 Dallas, TX 75265			ART UNIT	PAPER NUMBER
			2661	

DATE MAILED: 01/12/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

			¥
	Application No.	Applicant(s)	Λ
	09/750,140	GEORGE, EDWARD N.	,
Office Action Summary	Examiner	Art Unit	
	Anthony T Ton	2661	
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the	correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a repl If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tily within the statutory minimum of thirty (30) da will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE.	mely filed ys will be considered timely. In the mailing date of this communication. ED (35 U.S.C. § 133).	
Status			
1)⊠ Responsive to communication(s) filed on 20 Jet 2a)⊠ This action is <b>FINAL</b> . 2b)□ This 3)□ Since this application is in condition for allowed closed in accordance with the practice under Expression 1.	s action is non-final. nce except for formal matters, pr		
Disposition of Claims			
4) ☐ Claim(s) 1-17 is/are pending in the application 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-17 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	wn from consideration.		
Application Papers			
9) The specification is objected to by the Examine 10) The drawing(s) filed on 20 July 2004 is/are: a) Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	☑ accepted or b)☐ objected to drawing(s) be held in abeyance. Se tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). ejected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureau * See the attached detailed Office action for a list	es have been received.  es have been received in Applicate  rity documents have been receiv  u (PCT Rule 17.2(a)).	ion No ed in this National Stage	
Attachment(s)  PHIRIN 8  D) Notice of References Cited (PTO-892)  Notice of Draftsperson's Patent Drawing Review (PTO-948)	AMINER 4) Interview Summary Paper No(s)/Mail D	ate	
Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)     Paper No(s)/Mail Date	5) Notice of Informal I	Patent Application (PTO-152)	
Potent and Trademade Office			

Application/Control Number: 09/750,140 Page 2

Art Unit: 2661

#### **DETAILED ACTION**

### Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-3, 5, 7-12 and 14-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Verreault* (US Patent No. 6,434,169) in view of *Sullivan et al.* (US Patent No. 6,667,986) hereinafter referred to as *Sullivan*, and in view of *Chen et al.* (US Patent No. 5,822,524) hereinafter referred to as *Chen*.
- a) In Regarding to Claim 1: Verreault disclosed a system for transmitting data between a first modem and a second modem across a communication network with reduced bandwidth and improved resistance to network packet loss (see Fig. 4), comprising:
- a first processor for connection between said first modem and a first side of said network (see Fig. 5: V.32 BIS State Machine; Fig. 6: DSP CALL; and col.5 lines 29-30: TM320C551 DSP) for:

providing a local interface to said first modem (see Fig.5: block of linear input buffers);

demodulating a full duplex data stream from said first modem into bits (see col.17 lines 44-52: full duplex exchange, demodulate);

packetizing the bits into packets for transport over said packet network (see Fig.5: block packetizer); and

remodulating the full duplex data stream from a remote end (see Fig.5: block modulator; and see col.6 lines 54-55: data is modulated. In which, when a data packet is received from the far-side modem relay unit (the one that is on the right side of "data" in Fig.4), then the data packet is modulated (re-modulated) and sent to a local modem that connected to the first-end data device (the one that is on the leftmost in Fig.4)), and a second processor for connection between said second modem and a second side of said network (see Fig.5: V.32 BIS State Machine; Fig.7: DSP ANS; and col.5 lines 29-30: TM320C551 DSP) for:

providing a local interface to said second modem (see Fig.5: block of linear input buffers);

demodulating the full duplex data stream from said second modem into bits (see col.17 lines 44-52: full duplex exchange, demodulate);

packetizing the bits into packets for transport over said packet network (see Fig. 5: block packetizer); and

remodulating the full duplex data stream from said first side (see Fig.5: block modulator; and see col.6 lines 54-55: data is modulated. In which, when a data packet is received from the original-side modem relay unit (the one that is on the left side of "data" in Fig.4), then the data packet is modulated (re-modulated) and sent to a local modem that connected to the far-end data device (the one that is on the rightmost in Fig.4)).

Verreault failed to explicitly disclose the communication network is a packet network.

However, Verreault clearly disclosed packets that relate to a data network, in which, packets can

be transmitted by a first-side modem relay unit across a data medium to a far-side modem relay unit as shown in Figs.4 and 5. Therefore, it would be obvious on the disclosure of *Verreault* related to this subject matter of the instant claim.

Sullivan explicitly disclosed a packet network that is used to provide high speed data access using a distributed modem (see Figs1 and 5: block 20 (local modem) and block 40 (distributed modem – the modem relay unit as disclosed by the applicant) shown in Fig.1; and block 150 shown in Fig.5 represents for the packet data network as disclosed by the applicant).

At the time of the invention, it would be obvious to a person of ordinary skill in the art to implement such a packet network, as taught by *Sullivan* with *Verreault*, so that a voice can be sent across such a packet network. The motivation for doing so would have been to support different data rates and save bandwidth or bandwidth optimization (see Sullivan: abstract). Therefore, it would have been obvious to combine Sullivan with Verreault in the invention as specified in the claim.

Verreault also failed to explicitly disclose wherein said packets include redundant data upon the network packet loss.

Chen explicitly disclosed said packets include redundant data upon the network packet loss (see Fig.3: list of lost packets; and col.7 lines 24-45: wherein the sequence number of a packet loss is redundant data).

At the time of the invention, it would be obvious to a person of ordinary skill in the art to implement such packets include redundant data upon the network packet loss, as taught by *Chen* with *Verreault*, in a purpose of detecting lost packets in a communications network. The motivation for doing so would have been to provide efficiency and reliability in the transmission

Art Unit: 2661

and display of multimedia files (see Chen: col.7 lines 63-65). Therefore, it would have been obvious to combine Chen with Verreault in the invention as specified in the claim.

Page 5

- b) In Regarding to Claim 2: Verreault further disclosed the system further comprising: means for establishing optimal modulation and rate parameters for communication between said first and second modems (see Fig.5: blocks "Network RX Queues", "Rate Controller", and "Modem Controller & Sinodem Access"; and see Table 1 in col.6: Optimal Queue size of the modem controller).
- c) In Regarding to Claim 3: Verreault further disclosed said means for establishing optimal modulation and rate parameters includes the exchange of signaling messages to determine the best commonly supported data rate (see col.7 line 47-col8.line 6: signaling message; and see Claim 13 in col.54: data rates supported).
- d) In Regarding to Claim 5: Verreault disclosed a system wherein an originating modem terminal equipment connects to a digital network via an originating modem relay unit and wherein a destination modem terminal equipment connects to the digital network via a destination modem relay unit (see Fig. 4), a method of providing modem communications comprising:

the originating modem terminating equipment sending digital data to the destination modem terminating equipment via the originating modem relay unit and the destination modem relay unit (see Fig.4: Data Device on the left side sending data to destination Data Device on the right via modem relay units locate on the left and right of the "data" medium);

Art Unit: 2661

the originating modem relay unit sending the digital data to the destination modem relay unit (see Fig. 5: in which, demodulated data is packetized and sent to the destination modem relay unit throughout the block of network transmit); and

while the destination modem relay unit is waiting for the digital data from the originating modem terminating equipment, the destination modem relay unit maintaining communication with the destination modem terminating equipment to prevent protocol timeouts of the destination modem terminating equipment (see col.2 line 63-col.3 line 3: its counterpart modem relay (destination relay unit) in order to negotiate compatible data transmission conditions; and see col.10 lines 1-9: performs the state sanity timeout verification).

Verreault failed to explicitly disclose the communication network is a digital network. However, Verreault clearly disclosed packets that relate to a data network, in which, packets can be transmitted by a first-side modem relay unit across a data medium to a far-side modem relay unit as shown in Figs.4 and 5. Therefore, it would be obvious on the disclosure of Verreault related to this subject matter of the instant claim.

Sullivan explicitly disclosed a digital network that is used to provide high speed data access using a distributed modem (see Figs1 and 5: block 20 (local modem), block 40 (distributed modem – the modem relay unit as disclosed by the applicant), and digital data path 16 shown in Fig.1; and block 150 shown in Fig.5 represents for the packet data network as disclosed by the applicant).

At the time of the invention, it would be obvious to a person of ordinary skill in the art to implement such a digital network, as taught by *Sullivan* with *Verreault*, so that a voice can be converted into digital and then sent across a digital network. The motivation for doing so would

Art Unit: 2661

have been to support different data rates and save bandwidth because of voice compression techniques (see Sullivan: abstract). Therefore, it would have been obvious to combine Sullivan with Verreault in the invention as specified in the claim.

e) In Regarding to Claims 7 and 9: Verreault disclosed a system wherein an originating modem terminal equipment connects to a digital network via an originating modem relay unit and wherein a destination modem terminating equipment connects to the digital network via a destination modem relay unit (see Fig. 4), a method of receiving a modem communication from the destination modem relay unit comprising:

receiving digital data from the originating modem terminating equipment (see Fig. 4: in which, data is being sent from the Data Device on the left (the originating modem terminating equipment) to the to destination Data Device on the right via modem relay units locate on the left and right of the "data" medium); and

while waiting for the digital data from the originating modem terminating equipment, maintaining communication with the destination modem terminating equipment to prevent protocol timeouts of the destination modem terminating equipment (see col.2 line 63-col.3 line 3: its counterpart modem relay (destination relay unit) in order to negotiate compatible data transmission conditions; and see col.10 lines 1-9: performs the state sanity timeout verification).

Verreault failed to explicitly disclose the communication network is a digital network as set forth in Claim 7 and the network is of unknown and unpredictable delay as set forth in Claim 9. However, Verreault clearly disclosed packets that relate to a data network, in which, packets can be transmitted by a first-side modem relay unit across a data medium to a far-side modem

Page 8

relay unit as shown in Figs.4 and 5. Therefore, it would be obvious on the disclosure of Verreault related to this subject matter of the instant claims.

Sullivan explicitly disclosed a network that is used to provide high speed data access using a distributed modem (see Figs1 and 5: block 20 (local modem), block 40 (distributed modem – the modem relay unit as disclosed by the applicant), and digital data path 16 shown in Fig.1; and block 150 shown in Fig.5 represents for the packet data network as disclosed by the applicant in instant claims because in a data packet network, packets can be experienced many unpredictable problems such as delay, loss or error since connection failures or processing time).

At the time of the invention, it would be obvious to a person of ordinary skill in the art to implement such a digital network, as taught by *Sullivan* with *Verreault*, so that a voice can be converted into digital and then sent across a digital network. The motivation for doing so would have been to support different data rates and save bandwidth because of voice compression techniques (*see Sullivan: abstract*). Therefore, it would have been obvious to combine *Sullivan* with *Verreault* in the invention as specified in the claims.

- f) In Regarding to Claim 8: this claim is rejected for the same reasons as claim 7 because the apparatus in claim 7 can be used to practice the method steps of claim 8.
- g) In Regarding to Claims 10-12: these claims are rejected for the same reasons as claims 1-3, respectively because the apparatus in claims 1-3 can be used to practice the method steps of claims 10-12.
- h) In Regarding to Claim 14: Verreault disclosed all aspects of this claim as set forth in Claim 10.

Verreault failed to explicitly disclose wherein said providing redundant data in a packet follows a first series of data packets in which at least one said first series of data packet is lost across said packet network.

Chen explicitly disclosed such providing redundant data in a packet follows a first series of data packets in which at least one said first series of data packet is lost across said packet network (see Fig.3: list of lost packets; and col.7 lines 24-45: wherein a list of lost packets would be transmitted after a number of transmission packets).

At the time of the invention, it would be obvious to a person of ordinary skill in the art to implement such said providing redundant data in a packet follows a first series of data packets in which at least one said first series of data packet is lost across said packet network, as taught by *Chen* with *Verreault*, in a purpose of detecting lost packets in a communications network. The motivation for doing so would have been to provide efficiency and reliability in the transmission and display of multimedia files (see Chen: col.7 lines 63-65). Therefore, it would have been obvious to combine *Chen* with *Verreault* in the invention as specified in the claim.

i) In Regarding to Claim 15: Verreault disclosed all aspects of this claim as set forth in Claims 10 and 14.

Verreault failed to explicitly disclose wherein said redundant data is delayed by a predetermined number of data packets following said first series of data packets.

Chen explicitly disclosed such redundant data is delayed by a predetermined number of data packets following said first series of data packets (see Fig. 3: list of lost packets; and col.7 lines 24-45: Time Out Value is set for lost packets).

Art Unit: 2661

At the time of the invention, it would be obvious to a person of ordinary skill in the art to implement such redundant data is delayed by a predetermined number of data packets following said first series of data packets, as taught by *Chen* with *Verreault*, in a purpose of detecting lost packets in a communications network. The motivation for doing so would have been to provide efficiency and reliability in the transmission and display of multimedia files *(see Chen. col.7 lines 63-65)*. Therefore, it would have been obvious to combine *Chen* with *Verreault* in the invention as specified in the claim.

j) In Regarding to Claims 16 and 17: Verreault disclosed all aspects of these claims as set forth in Claims 10, 14 and 15.

Verreault failed to explicitly disclose wherein said data packets are comprise digital modem data, and wherein said delay is selected to accommodate expected packet loss and to provide acceptable delay.

Chen explicitly disclosed such data packets are comprise digital modem data, and wherein said delay is selected to accommodate expected packet loss and to provide acceptable delay (see col.3 lines 59-63: digital data packets; and col.7 line 66-col.8 line 3: applications requires constant and minimum transmission delay at the expense of losing a small amount of packets).

At the time of the invention, it would be obvious to a person of ordinary skill in the art to implement such data packets are comprise digital modem data, and wherein said delay is selected to accommodate expected packet loss and to provide acceptable delay, as taught by *Chen* with *Verreault*, in a purpose of detecting lost packets in a communications network. The motivation for doing so would have been to provide efficiency and reliability in the transmission and display

of multimedia files (see Chen: col.7 lines 63-65). Therefore, it would have been obvious to combine Chen with Verreault in the invention as specified in the claims.

- 3. Claims 4 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over

  Verreault (US Patent No. 6,434,169) in view of Sullivan et al. (US Patent No. 6,667,986) and in

  view of Chen et al. (US Patent No. 5,822,524) as applied to 1-3, 5 and 7-12 above, and further in

  view of Barzegar et al. (US Patent No. 6,347,075) hereinafter referred to as Barzegar.
- a) In Regarding to Claim 4: Verreault disclosed all aspects of claim 4 as set forth in Claims 1-3.

Verreault failed to explicitly disclose said means for establishing optimal modulation and rate parameters further includes:

means for independent connection of said first and second modems if no commonly supported data rate is determined.

However, in Fig.3, Verreault disclosed exchange parameter information (means) with terminals 44 and 46 respectively upon detection of a switch from voice to data at either end of the network. For example, when terminal 44 initiates a modem call, relay 40 exchanges parameter information with terminal 44 to ascertain a common set of parameters such as supported data rate, modulator type and encoding. The modem relay 40 also advises modem relay 41 that a data call is being directed to terminal 46. The modem relay 41 and terminal 46 then exchange parameter information and select a set of conditions supported by both. Upon completion of this exchange, the modem relays 40 and 41 arrive at a set of conditions that can be supported by both modems taking into account the rate employed by the network. Thus, for example, if the terminal 44 can operate at 14.4 kbps but the modem relay 40 only supports 12

Application/Control Number: 09/750,140 Page 12

Art Unit: 2661

kbps, while terminal 46 can operate at 28.8 kbps and the modem relay 41 supports 14.4 kbps, the two modem relays will agree on a rate of 12 kbps. However, if the rate is only 8 kbps, this minimum rate will be indicated by the unit relays 40 and 41 during the exchange for the communications between the terminals 44 and 46 (see col.4 lines 23-45). Hence, the communication connection would be setup independently by modems and terminal in the both sides of communications networks.

Barzegar explicitly disclosed such a means (see col.2 lines 44-67: a server called an intelligent services director (ISD) provides multiple independent connections for telephones which ordinarily connect to multiple access virtual circuits generated on the subscriber link over a twisted pair)

At the time of the invention, it would be obvious to a person of ordinary skill in the art to combine such a means for independent connection of said first and second modems if no commonly supported data rate is determined, as taught by *Barzegar* with *Verreault*, so that a data can be transmitted throughout a communication network in different rates without any affections. The motivation for doing so would have been to support different data rates and save bandwidth. Therefore, it would have been obvious to combine *Barzegar* with *Verreault* in the invention as specified in the claim.

- b) In Regarding to Claim 13: this claim is rejected for the same reasons as claim 4 because the apparatus in claim 4 can be used to practice the method steps of claim 13.
- 4. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over *Verreault* (US Patent No. 6,434,169) in view of *Sullivan et al.* (US Patent No. 6,667,986) and in view of *Chen*

et al. (US Patent No. 5,822,524) as applied to claim 5 above, and further in view of Beighe et al. (US Patent No. 5,912,896) hereinafter referred to as Beighe.

Verreault disclosed all aspects of this claim as set forth in claim 5; and

Verreault further disclosed wherein each of said originating and said destination modem relay units include:

a modem driver connected to a modulated interface, and a modem relay protocol unit connected between said modem driver and said modem network driver, tracks modem control and state machine functions and provides modem data (see Fig. 5: block of V32 BIS modem relay state machine).

Verreault failed to explicitly disclose each of said originating and said destination modem relay units include: a modem network driver connected to said digital network.

Beighe explicitly disclosed such a modem network driver (see Fig. 3: block 70)

At the time of the invention, it would be obvious to a person of ordinary skill in the art to combine such a modem network driver, as taught by *Beighe* with *Verreault*, so that a data can be stored and forwarded throughout a communication network. The motivation for doing so would have been to make *Verreault* compatible and efficient. Therefore, it would have been obvious to combine *Beighe* with *Verreault* in the invention as specified in the claim.

## Response to Remarks

5. Applicant's arguments with respect to **claims 1-17** have been considered but are moot in view of the new ground(s) of rejection.

Application/Control Number: 09/750,140 Page 14

Art Unit: 2661

6. In order to response properly to the independent amended claims, the Examiner decides to add a new reference, *Chen et al.* (US Patent No. 5,822,524), which is a new discovered reference. Therefore, new ground(s) rejections are applied as set forth in the Office Action.

Regarding to amended claims 1 and 10, the Applicants argue that the references of *Verreault* and *Sullivan*, either individually or in combination, do not teach or suggest "wherein said packets include redundant data upon the network packet loss". The Examiner respectfully agrees with the Applicants on this argument. However, the new reference, *Chen et al.* explicitly disclosed said packets include redundant data upon the network packet loss (see Fig.3: list of lost packets; and col.7 lines 24-45: wherein the sequence number of a packet loss is redundant data).

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 2661

## **Examiner Information**

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Anthony T Ton** whose telephone number is **571-272-3076**. The examiner can normally be reached on M-F: 8:30 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **Ken Vanderpuye** can be reached on **571-272-3078**. The fax phone number for the organization where this application or proceeding is assigned is **703-872-9306**.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Respectfully submitted,

by: Anthony T. Ton Patent Examiner
January 7, 2005

PHIRIN SAM PRIMARY EXAMINER Page 15